



Poweramp manufactures a complete line of loading dock equipment including hydraulic, air-powered and mechanical levelers, portable steel yard ramps, safety vehicle restraints, seals, shelters and accessories. You can completely outfit your entire loading dock area with Poweramp's comprehensive line of loading dock equipment.

LOADING DOCK LEVELERS



HYDRAULIC DOCK LEVELERS

Hydraulic dock levelers are push-button activated and have the highest capacity available. They utilize fully powered raise and lip extension functions with hydraulic cylinders and individual or multi-unit hydraulic pump and motor stations. They're also the safest loading dock choice, as these levelers contain in-line velocity fuses to prevent free fall in a truck pull-out situation.

AVAILABLE MODELS

- PR Series
- VH Series
- LHP Series




AIR-POWERED DOCK LEVELERS

Air-powered dock levelers are an economical alternative to hydraulic levelers, but are still operated with a push-button activation for ease of use. They have a mid-range capacity with an air bag or bellows system used to raise and lower the deck. The CentraAir® uses compressed air and doesn't require any electricity in the dock pit.

AVAILABLE MODELS

- CentraAir Series
- AP Series




MECHANICAL DOCK LEVELERS

Poweramp mechanical dock levelers are an economical solution for basic applications, while still providing strength and durability. These levelers use a pull chain activation to raise the deck. The operator then simply walks the deck back down to the bed of a trailer or to a stored position. Poweramp mechanical levelers are equipped with a Lip Drive positive lip extension and an extended range, hold down mechanism for extreme float conditions.

AVAILABLE MODELS

- HM Series
- LMP Series



EDGE-OF-DOCK LEVELERS

Edge-of-dock levelers are a great solution for select applications. They mount directly to the dock face and provide a recommended working range of +/-3" and a maximum operating range of +/-5" above or below dock. The units are offered with either mechanical or hydraulic operation.

AVAILABLE MODELS

- DL Series
- NL Series
- TS Series
- HNL Series
- HED Series



VERTICAL STORING DOCK LEVELERS

Vertical storing dock levelers are hydraulically operated and offer unmatched environmental control for customers with food storage or temperature sensitive applications. By storing in the vertical position, the VS Series allows the overhead door to form a perfect seal to the pit floor. VS Series levelers also offer improved cleanliness, overhead door protection, increased security, improved productivity, and easy maintenance.

VEHICLE RESTRAINTS



POWERHOOK® SERIES

The PowerHook is a non-impact, self-aligning, hydraulic restraint that is stored in the dock pit and is the most effective truck restraining device available on the market.

SAFETY FEATURES

- Stored in the dock pit and out of the way, allowing lift gate trailers to backup tightly against the dock.
- Actively seeks and secures a trailer's Rear Impact Guard (RIG).
- Maintains a positive hydraulic hold of the RIG for zero running room.
- Exterior red light emphasize if the truck attempts to pull away while secured.
- LED 3-light system for advanced communication between the truck driver and dock attendant.



TPR UNILOCK® SERIES

An upgrade from the standard TPR, the UniLock provides an advanced cam design that rotates the hook away from the trailer's Rear Impact Guard (RIG) to release "RIG Wedge" pressure.

SAFETY FEATURES

- Locking mechanism to prevent the restraint from disengaging the trailer's RIG when pressure is applied.
- Universally effective on any obstructed RIG, including intermodal trailers with a cover plate.
- LED 3-light system for advanced communication between the truck driver and dock attendant.




TPR® SERIES

The TPR is a push-button operated, trailer-positioned vehicle restraint that is mounted to the face of the dock and utilizes a rotating hook to secure the trailer's Rear Impact Guard (RIG).

SAFETY FEATURES

- Unit automatically positions itself when lowered by the trailer's RIG.
- Motor and gears keep hook continuously engaged with the trailer's RIG.
- LED 3-light system for advanced communication between the truck driver and dock attendant.



POWERSTOP® SERIES - AUTOMATIC & MANUAL

The PowerStop is a non-impact vehicle restraint that is mounted to the drive or dock face. It's available as either an automatic hydraulic activation or manual operation.

SAFETY FEATURES

- Low profile, non-impact design
- Hydraulic or manual operation to vertically raise the restraint and engage the Rear Impact Guard.
- RIG sensor bar on the Auto and MAL to notify the operator if the restraint is not engaged with the trailer's Rear Impact Guard.
- LED light communication available with the Auto, MML and MAL.



UXL SERIES

The UXL is a wheel-based vehicle restraint with light communication. The chock system is universally effective for most applications.

SAFETY FEATURES

- Steel teeth engage ground plate to prevent pullout.
- Automatic light sequencing with interior/exterior red/green lights always in opposition.
- Exterior and interior audible alarms if the UXL is not in a safe position during loading.
- Full communication package with lights, safety signs and control panel for additional safety communication.

ACCESSORIES



UNICHOCK SERIES

The UniChock is a wheel-based vehicle restraint with light communication. The chock system is universally effective for most applications.

SAFETY FEATURES


- Strong grip to limit sliding.
- Audible alerts of an unsafe position of the chock during loading.
- LED 3-light system for advanced communication between the truck driver and dock attendant.



iDOCK® CONTROLS AND iDOCK® LINK

iDock Controls are technologically advanced equipment controllers with a 3-color light communication system and an interactive message display that includes equipment information, operational messages, faults, and more. iDock Controls have the ability to connect online to myQ Dock Management.


For loading docks without iDock Controls, an iDock Link with sensors can be installed at each dock and also connect online to myQ Dock Management.



myQ® DOCK MANAGEMENT

Analyze your loading dock activity online with myQ Dock Management. Once connected with iDock devices or LiftMaster operators, users can login to their online account with myQ and monitor the real-time status of each loading dock or review activity over time.

myQ Dock Management can also send email/text notifications of events that occur at the dock, such as truck arrival, load time limits, restraints in bypass, doors left open, and more. This combination of alerts and reports can help any facility enhance their loading efficiency, improve truck turn times, and reduce expenses.



SAFETY BARRIERS

Poweramp's Barrier Lip extends 5" to 7" above the cross traffic position and prevents forklift trucks from driving over the dock edge. The Barrier Lip is usable anytime the leveler is in the cross traffic position and offers a smooth transition between the platform and lip.

Poweramp's Bar-Lift Barrier prevents forklift trucks from driving over the dock edge, as well as protects the overhead door from damage. Its hydraulic operation provides years of trouble-free service for use with both mechanical and hydraulic dock levelers. The Bar-Lift Barrier can also be installed on docks without levelers.



DOCK SEALS AND SHELTERS

Poweramp offers a complete line of Fairborn Premium brand dock seals and shelters that are custom designed to fit your building opening and the trucks you will be servicing. Dock seals and shelters save energy dollars while providing bug and rodent protection at the loading dock area during material handling operations.

AVAILABLE SEALS

- 1000 Series Seal with Fixed Head Pad
- 1200 Series Seal with Adjustable Head Pad
- 1400 Series Seal with Head Curtain

AVAILABLE SHELTERS

- 1600 Series WeatherGuard
- 2000 Series Rigid Style Shelter
- 2200 Series Soft Sided Shelter
- 2500 Series Flexible Shelter